



2nd World Congress on Thyroid Cancer

an international meeting on thyroid cancer and nodules

July 10-14, 2013

Sheraton Centre Toronto

123 Queen Street, West Toronto, Canada

Saturday, July 13th
4:00 pm – 5:30 pm

Daniele Barbaro

Raffi Feinmesser
Stephanie Fish
David Goldstein
Hans Graf
Arnold Komisar

**#18 – Differentiated
thyroid cancer
follow-up: what
tests, how often
and for how long?**

Faculty/Presenter Disclosure

- **Faculty:** Daniele Barbaro
- **Relationships with commercial interests:**
 - **Grants/Research Support:** no
 - **Speakers Bureau/Honoraria:** no
 - **Consulting Fees:** no
 - **Other:** no

Disclosure of Commercial Support

- This program has not received financial support from
- Potential for conflict(s) of interest:
NO

Long term follow up:

- Patient not treated by 131I

- Patient treated by 131I



Probably cured at first follow up (US negative, Tg < 1.0)

Tg 1 – 2 at first follow up (US negative)

Tg 2 – 3 at the first follow up (US negative)

Evidence of disease but stable disease:clinical/biochemical

Ab anti Tg positive

High risk versus low risk

One or more surgical intervention and or radioiodine treatment


* The role of ultrasensitive Tg assay

° For how long ? / TSH level

Patient not treated by 131I

Not stimulated Tg , US periodically, TSH low - normal range

Patient treated by 131I



For how long...unsolved problem

*depending also on the risk